

GLAS®

Smart Thermostat



CODE

SI02-10000

- A SEEMLESS MOBILE EXPERIENCE
- AIR QUALITY MONITORING
- VOICE CONTROL WITH MICROSOFT CORTANA

BY



Visit Website at: www.glas.johnsoncontrols.com

LUX GEO

Smart Thermostat Pro 5-Year Warranty

Smart Features

- Geofencing: Home & Away Aware
- Smart Scheduling: Utility cost estimated
- Smart Tips: For Savings & Seasonality tips
- Apps: iOS & Android

System

- Universal for Conventional heat & A/C up to 2h/2c
- Heat Pumps: with up to 2h/1c including AUX/EMERG heat
- Hydronic systems: 2-wire heat only (hot water baseboard & radiator)
- Power: C wire, Lux Power Bridge (included) & Battery only (2AA lithium) *

Product

- Color: GEO-WH: White GEO-BL: Piano Black brushed metal accents
- Trim plate included
- 7-day programming on unit or app
- Dual mount: vertical or horizontal
- Adjustable 2nd stage heat & cool offset
- Low battery detection

Connectivity

- Radio: WiFi certified
- Platforms: Amazon Alexa enabled devices and google home

Accessories

- Includes wall plate

*works with Amazon Alexa enabled device and Google home with C-wire or LUX Power Bridge

CODE

GEO-WH

Easy-view 2 3/4 display
with white LED back-light



CODE

GEO-BL



LUX KONOz Smart Hub Thermostat

Description

- Smart thermostat connects to many smart hubs and has interchangeable snap covers

System

- Modes Heat, cool, auto-changeover(heat/cool)
- Conventional: Forced air, gas, oil & electric furnaces
- Heat pumps: with or without Aux/Emergency heat
- Power: C-wire, 4 AA alkaline batteries (Included & provides up to 2 years battery life) or LUX Power Bridge (sold separately)

CODE

PEKN-S-B1-B04



LUX KONO Smart Thermostat

Smart Features

- Geofencing: Home & Away Aware
- Smart Scheduling: Utility cost estimated
- Smart tips: For savings & seasoning tips
- Apps:iOS & Android

System

- Conventional: Forced air, gas, oil & electric furnaces
- Heat Pumps: With or without Aux/Emergency heat
- Power: C wire or PowerBridge (included)

CODE

PEKN-S-B1-B04



Comfortable wheel interface -
access menus, set-up and comfort

LUX PRO

5-Year Warranty

Touch screen feature rich thermostat- easy to customize settings
7 Day Programmable - Non- Programmable

Product Highlights

- Dual Power
- 5 year Warranty
- Adjustable 2nd stage heat offset
- Universal heat pump & conventional heat / cool

Product Features

- Easy installation
- Program 7-day or non-programmable
- Easy view back light
- Optional wall plate
- User option: 2 or 4 periods per day
- Programmable keyboard lock
- Temporary compressor protection bypass
- User temperature calibration
- Display option: fahrenheit or celsius temperature
- Adjustable heating and cooling limits
- Air filter monitor
- AM/PM clock or military time option

5/2 Day Programmable - Non- Programmable

Product Highlights

- Dual Power
- 5 year Warranty
- Adjustable 2nd stage heat offset
- Universal heat pump & conventional heat / cool
- Adjustable 2nd stage heat offset
- All in one programmable/ Non - Programmable

Product Features

- Easy Installation
- Program 5/2-day or no programmable
- Easy view back light
- Optional wall plate
- Keypad lock for unauthorized use
- Temporary override and manual hold
- Dual powered (2AA) Alkaline Batteries included
- Display option: fahrenheit or celcius temperature
- Adjustable heating cooling limits
- Speed Slide for easy programming
- Air filter monitor
- Selectable smart recovery

Code

P722U



Code

P721UT



LUX PRO

Heat -Only Mechanical Thermostat

- Easy to use
- Mercury free
- 5 year warranty

Product Features

- Snap action mechanism
- Value priced
- adjustable heat anticipator
- Contains no mercury

- Compatible With - most 24v gas, oil, electric
- 2 wire hydronic systems
- Hydronic air handlers
- Single-stage heat pumps

CODE
PSM30SA



LUX

Thermostat Guards

Product Features

- Fits all thermostats
- Limits Unwanted Access
- Two Sizes
- One Key Included
- Tamper Resistant
- Strong, Durable Plastic

SIZE BB2001
 6.75 X 5.87 - 3.25 DEEP

SIZE BB3001
 9.5 X 5.75 - 4 DEEP

BEIGE META
585- TG3 66.50
585- TG4 66.50

CODE
BB201
BB301

