



## 2" PolyFlue Venting

### Straight Lengths (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 2PF-10      | 10" Length         | 20             |
| 2PF-10UV    | 10" Length UV      | 20             |
| 2PF-20      | 20" Length         | 10             |
| 2PF-39      | 39" Length         | 10             |
| 2PF-39UV    | 39" Length UV      | 10             |
| 2PF-79      | 79" Length         | 10             |

### Elbows/Tees/Caps (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 2PF-45      | 45 Deg Elbow       | 10             |
| 2PF-45UV    | 45 Deg Elbow UV    | 10             |
| 2PF-90      | 90 Deg Elbow       | 10             |
| 2PF-90UV    | 90 Deg Elbow UV    | 10             |
| 2PF-T       | Tee                | 1              |
| 2PF-TC      | Tee Cap            | 1              |
| 2PF-TCD     | Drain Tee Cap      | 1              |

### Increasesers/Reducers (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 2PF-2I3     | 2"-3" Increaser    | 6              |

### Supports

| <u>Code</u> | <u>Description</u>         | <u>CTN Qty</u> |
|-------------|----------------------------|----------------|
| PF-HS       | 2" & 3" Horizontal Support | 8              |
| PF-WS       | 2" & 3" Wall Strap         | 8              |
| 2PF-2I3     | 2"-3" Increaser            | 6              |

### Supports

| <u>Code</u> | <u>Description</u>         | <u>CTN Qty</u> |
|-------------|----------------------------|----------------|
| PF-HS       | 2" & 3" Horizontal Support | 8              |
| PF-WS       | 2" & 3" Wall Strap         | 8              |



## 2" PolyFlue Venting

### Concentric Terminations (optional UV rated single wall pipe/elbow termination)

| <u>Code</u> | <u>Description</u>                | <u>CTN Qty</u> |
|-------------|-----------------------------------|----------------|
| 2PF-HCT     | Horizontal Concentric Termination | 1              |
| 2PF-VCT     | Vertical Concentric Termination   | 1              |
| 2PF-CTA     | Twin Pipe to Concentric Adapter   | 1              |

### Accessories

| <u>Code</u> | <u>Description</u>                                     | <u>CTN Qty</u> |
|-------------|--|----------------|
| 2PF-TP      | Test Port  | 1              |
| PF-LB       | 2" & 3" Locking Band<br>(required at every pipe joint) | 12             |
| 2PF-FS      | Fire Stop  | 10             |
| 2PF-WP      | Wall Plate   | 4              |
| 4PF-WP      | Wall Plate Concentric Pipe                             | 4              |
| 2PF-HVST    | Bird Screen, Single Wall Horiz/<br>Vert termination    | 4              |
| 2PF-BVSC    | B-vent Re-line Storm Collar                            | 4              |
| 2PF-GKV     | Replacement Gasket (straight pipe)                     | 10             |
| 2PF-GKV     | Replacement Gasket (flexible pipe)                     | 10             |
| 2PF-GKETV   | Replacement Gasket (elbows/tees)                       | 10             |

### Flashings

| <u>Code</u> | <u>Description</u>                          | <u>CTN Qty</u> |
|-------------|---|----------------|
| 852190      | Aluminum Base, Rubber Boot<br>Flashing      | 12             |
| 853190      | Thermoplastic Base, Rubber Boot<br>Flashing | 12             |

### Flexible Pipe & Accessories

| <u>Code</u>   | <u>Description</u>                                       | <u>CTN Qty</u> |
|---------------|--|----------------|
| 2PF-FLEX-ROLL | Flexible Pipe Roll, 66ft Long                            | 1              |
| 2PF-FLEX-KIT  | Masonry Re-line Flex Kit<br>(does not include flex pipe) | 1              |
| 2PF-FLEX-SP   | Flex Spacers   | 5              |



## 3" PolyFlue Venting

### Straight Lengths (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 3PF-10      | 10" Length         | 20             |
| 3PF-10UV    | 10" Length UV      | 20             |
| 3PF-20      | 20" Length         | 10             |
| 3PF-39      | 39" Length         | 10             |
| 3PF-39UV    | 39" Length UV      | 10             |
| 3PF-79      | 79" Length         | 6              |

### Elbows/Tees/Caps (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 3PF-45      | 45 Deg Elbow       | 10             |
| 3PF-45UV    | 45 Deg Elbow UV    | 10             |
| 3PF-90      | 90 Deg Elbow       | 10             |
| 3PF-90UV    | 90 Deg Elbow UV    | 10             |
| 3PF-T       | Tee                | 10             |
| 3PF-TC      | Tee Cap            | 1              |
| 3PF-TCD     | Drain Tee Cap      | 1              |

### Adapters (field silicone as necessary to appliance; custom adapters available on request)

| <u>Code</u> | <u>Description</u>                                       | <u>CTN Qty</u> |
|-------------|--|----------------|
| 3PF-PVC-PF  | Adapter from PVC,<br>(equals PVC OD, flue gas direction) | 4              |
| 3PF-NOM-PF  | Adapter from Nominal Dia<br>(flue gas direction)         | 4              |
| 3PF-EZ-PF   | Adapter from Saf-T Vent EZ Seal*<br>(flue gas direction) | 4              |
| 3PF-EZ      | Adapter to Saf-T Vent EZ Seal*<br>(flue gas direction)   | 4              |

\*can be used to transition from/to Saf-T Vent system parts

### Increasers/Reducers (requires locking band)

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 3PF-3I4     | 3"- 4" Increaser   | 10             |
| 3PF-3R2     | 3"- 2" Reducer     | 1              |



## 3" PolyFlue Venting

### Supports

| <u>Code</u> | <u>Description</u>             | <u>CTN Qty</u> |
|-------------|--------------------------------|----------------|
| 3PF-HCTHS   | 3"x5" Horizontal Concentric    | 4              |
| 3PF-VCTWB   | 3"x5" Vertical Concentric Wall | 4              |

### Concentric Terminations (optional to UV rated single wall pipe/elbow termination)

| <u>Code</u> | <u>Description</u>                | <u>CTN Qty</u> |
|-------------|-----------------------------------|----------------|
| 3PF-HCT     | Horizontal Concentric Termination | 1              |
| 3PF-VCT     | Vertical Concentric Termination   | 1              |
| 3PF-CTA     | Twin Pipe to Concentric Adapter   | 1              |

### Accessories

| <u>Code</u> | <u>Description</u>                                  | <u>CTN Qty</u> |
|-------------|---|----------------|
| 3PF-TP      | Test Port   | 1              |
| 3PF-CD      | Inline Condensate Drain                             | 1              |
| 3PF-FS      | Fire Stop   | 10             |
| 3PF-WP      | Wall Plate  | 4              |
| 3PF-WPC     | Wall Plate Concentric Pipe                          | 4              |
| 3PF-HVST    | Bird Screen, Single Wall,<br>Horiz/Vert Termination | 4              |
| 3PF-BVSC    | B-vent Re-line Storm Collar                         | 4              |
| 3PF-GKVS    | Replacement Gasket (straight pipe)                  | 10             |
| 3PF-GKV     | Replacement Gasket (flexible pipe)                  | 10             |
| 3PF-GKETV   | Replacement Gasket (elbows/tees)                    | 10             |



## 3" PolyFlue Venting

### Flashings

| <u>Code</u> | <u>Description</u>                          | <u>CTN Qty</u> |
|-------------|---|----------------|
| 852290      | Aluminum Base, Rubber Boot Flashing         | 12             |
| 853290      | Thermoplastic Base, Rubber Boot Flashing    | 12             |
| BV4ARF      | 3"x5" Conc Pipe 0-6/12 Flashing, Galv alum  | 1              |
| BV4SRF      | 3"x5" Conc Pipe 7-12/12 Flashing, Galvalume | 1              |
| BV4SC       | 3"x5" Conc Pipe Storm Collar, Galv alum     | 8              |

### Flexible Pipe & Accessories

| <u>Code</u>   | <u>Description</u>                                    | <u>CTN Qty</u> |
|---------------|---|----------------|
| 3PF-FLEX-ROLL | Flexible Pipe Roll, 66ft Long                         | 1              |
| 3PF-FLEX-KIT  | Masonry Re-line Flex Kit (does not include flex pipe) | 1              |
| 3PF-FLEX-SP   | Flex Spacers  | 5              |



## 4" PolyFlue Venting

### Straight Lengths (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 4PF-10      | 10" Length         | 30             |
| 4PF-10UV    | 10" Length UV      | 30             |
| 4PF-20      | 20" Length         | 30             |
| 4PF-39      | 39" Length         | 35             |
| 4PF-39UV    | 39" Length UV      | 35             |
| 4PF-79      | 79" Length         | 3              |

### Elbows/Tees/Caps (requires locking band )

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 4PF-45      | 45 Deg Elbow       | 6              |
| 4PF-45UV    | 45 Deg Elbow UV    | 6              |
| 4PF-90      | 90 Deg Elbow       | 6              |
| 4PF-90UV    | 90 Deg Elbow UV    | 6              |
| 4PF-T       | Tee                | 1              |
| 4PF-TC      | Tee Cap            | 1              |
| 4PF-TC D    | Drain Tee Cap      | 1              |

### Adapters (field silicone as necessary to appliance; custom adapter available upon request)

| <u>Code</u> | <u>Description</u>                                       | <u>CTN Qty</u> |
|-------------|--|----------------|
| 4PF-PVC-PF  | Adapter from PVC, (equals PVC<br>OD, flue gas direction) | 4              |
| 4PF-NOM-PF  | Adapter from Nominal Dia (flue gas<br>direction)         | 4              |
| 4PF-EZ-PF   | Adapter from Saf-T Vent EZ Seal *<br>(flue gas dir)      | 4              |
| 4PF-EZ      | Adapter to Saf-T Vent EZ Seal *<br>(flue gas dir)        | 4              |
| 4PF-NOM-PF  | Adapter from Nominal Dia (flue gas<br>direction)         | 4              |
| 4PF-EZ-PF   | Adapter from Saf-T Vent EZ Seal *<br>(flue gas dir)      | 4              |
| 4PF-EZ      | Adapter to Saf-T Vent EZ Seal *<br>(flue gas dir)        | 4              |

### Non Diameter Misc Parts

| <u>Code</u> | <u>Description</u>                            | <u>CTN Qty</u> |
|-------------|---|----------------|
| PF-CDT      | Condensate Drain Tube, 10ft long,<br>3/4" dia | 1              |



## 4" PolyFlue Venting

| <u>Code</u> | <u>Description</u> | <u>CTN Qty</u> |
|-------------|--------------------|----------------|
| 4PF-4R3     | 4"- 3" Reducer     | 1              |

### Supports

| <u>Code</u> | <u>Description</u>                  | <u>CTN Qty</u> |
|-------------|-------------------------------------|----------------|
| 4PF-HS      | 4" Horizontal Support               | 8              |
| 4PF-WS      | 4" Wall Strap                       | 8              |
| 4PF-HCTHS   | 4"x6" Horizontal Concentric support | 4              |

### Concentric Terminations (optional UV rated single wall pipe/elbow termination)

| <u>Code</u> | <u>Description</u>                | <u>CTN Qty</u> |
|-------------|-----------------------------------|----------------|
| 4PF-HCT     | Horizontal Concentric Termination | 1              |
| 4PF-CTA     | Twin Pipe to Concentric Adapter   | 1              |

### Accessories

| <u>Code</u> | <u>Description</u>                              | <u>CTN Qty</u> |
|-------------|---|----------------|
| 4PF-TP      | Test Port                                       | 1              |
| 4PF-CD      | Inline Condensate Drain                         | 1              |
| 4PF-LB      | 4" Locking Band (req'd at every pipe joint)     | 12             |
| 4PF-FS      | Fire Stop                                       | 10             |
| 4PF-WP      | Wall Plate                                      | 4              |
| 4PF-WPC     | Wall Plate Concentric Pipe                      | 8              |
| 4PF-HVST    | Bird Screen, Single Wall Horiz/Vent termination | 4              |
| 4PF-BVSC    | B-vent Re-line Storm Collar                     | 4              |
| 4PF-GKV     | Replacement Gasket (straight/flexible pipe)     | 10             |
| 4PF-GKETV   | Replacement Gasket (elbows/tees)                | 10             |



## 4" PolyFlue Venting

### Flashings

| <u>Code</u> | <u>Description</u>                       | <u>CTN Qty</u> |
|-------------|--|----------------|
| 852390      | Aluminum Base, Rubber Boot Flashing      | 12             |
| 853390      | Thermoplastic Base, Rubber Boot Flashing | 12             |

### Flexible Pipe & Accessories

| <u>Code</u>   | <u>Description</u>                                       | <u>CTN Qty</u> |
|---------------|--|----------------|
| 4PF-FLEX-ROLL | Flexible Pipe Roll, 66ft long                            | 1              |
| 4PF-FLEX-KIT  | Masonry Re-line flex kit<br>(does not include flex pipe) | 1              |
| 4PF-FLEX-SP   | Flex Spacers   | 5              |





## TYPE "B" GAS-VENT CHIMNEY 3" RV

| <u>Code</u> | <u>Description</u>                     |
|-------------|--|
| 3RV60       | 3" RV 60" Length                       |
| 3RV36       | 3" RV 36" Length                       |
| 3RV18       | 3" RV 18" Length                       |
| 3RV12       | 3" RV 12" Length                       |
| 3RV6        | 3" RV 6" Length                        |
| 3RV18ADJ    | 3" RV 18" Adjustable Length            |
| 3RV12ADJ    | 3" RV 12" Adjustable Length            |
| 3RV90EL     | 3" RV 90° Adjustable Elbow             |
| 3RV45EL     | 3" RV 45/60° Adjustable Elbow          |
| 3RVT        | 3" RV Double Wall Tee                  |
| 3RVTC       | 3" RV Tee Cap                          |
| 3RVAF       | 3" RV Adjustable Flashing 1/12 - 6/12  |
| 3RVAF712    | 3" RV Adjustable Flashing 7/12 - 12/12 |
| 3RVFF       | 3" RV Flat Flashing                    |
| 3RVSC       | 3" RV Storm Collar                     |
| 3RVDHC      | 3" RV Draft Hood Connector             |
| 3RVRT       | 3" RV Round Top                        |
| 3RVHWT      | 3" RV High Wind Top                    |
| 3RVSP       | 3" RV Support Plate c/w Band           |
| 3RVFS       | 3" RV Firestop Spacer                  |
| 3RVAIS      | 3" RV Attic Insulation Sheild          |
| 3RVWT       | 3" RV Wall Thimble                     |
| 3RVWSB      | 3" RV Wall Support Band                |



## TYPE "B" GAS-VENT CHIMNEY 4" RV

| <u>Code</u> | <u>Description</u>                        |
|-------------|---|
| 4RV60       | 4" RV 60" Length                          |
| 4RV36       | 4" RV 36" Length                          |
| 4RV24       | 4" RV 24" Length                          |
| 4RV18       | 4" RV 18" Length                          |
| 4RV12       | 4" RV 12" Length                          |
| 4RV6        | 4" RV 6" Length                           |
| 4RV18ADJ    | 4" RV 18" Adjustable Length               |
| 4RV12ADJ    | 4" RV 12" Adjustable Length               |
| 4RV90EL     | 4" RV 90° Adjustable Elbow                |
| 4RV45EL     | 4" RV 45/60° Adjustable Elbow             |
| 4RVT        | 4" RV Double Wall Tee                     |
| 4RVTC       | 4" RV Tee Cap                             |
| 4RVAF       | 4" RV Adjustable Flashing 1/12 - 6/12     |
| 4RVAF712    | 4" RV Adjustable Flashing 7/12 - 12/12    |
| 4RVFF       | 4" RV Flat Flashing                       |
| 4RVSC       | 4" RV Storm Collar                        |
| 4RVDHC      | 4" Rv Draft Hood Connector                |
| 4RVREVDH    | 4" RV Reverse Draft Hood Connector        |
| 4RVRT       | 4" RV Round Top                           |
| 4RVHWT      | 4" RV High Wind Top                       |
| 4RVSP       | 4" RV Support Plate c/w Band              |
| 4RVFS       | 4" RV Firestop Spacer                     |
| 4RVWT       | 4" RV Wall Thimble                        |
| 4RVWSB      | 4" RV Wall Support Band                   |
| 4RVWV       | 4" RV Oval to Round Adapter               |
| 4RVAIS      | 4" RV Attic Insulation Shield             |
| 4RVBT1      | 4" RV Single Wall Tee c/w Draft Hood Conn |



## TYPE "B" GAS-VENT CHIMNEY 5" RV

| <u>CODE</u> | <u>DESCRIPTION</u>                        |
|-------------|---|
| 5RV60       | 5" RV 60" Length                          |
| 5RV36       | 5" RV 36" Length                          |
| 5RV24       | 5" RV 24" Length                          |
| 5RV18       | 5" RV 18" Length                          |
| 5RV12       | 5" RV 12" Length                          |
| 5RV6        | 5" RV 6" Length                           |
| 5RV18ADJ    | 5" RV 18" Adjustable Length               |
| 5RV12ADJ    | 5" RV 12" Adjustable Length               |
| 5RV90EL     | 5" RV 90° Adjustable Elbow                |
| 5RV45EL     | 5" RV 45/60° Adjustable Elbow             |
| 5RVT        | 5" RV Double Wall Tee                     |
| 5RVTC       | 5" RV Tee Cap                             |
| 5RVAF       | 5" RV Adjustable Flashing 1/12 - 6/12     |
| 5RVAF712    | 5" RV Adjustable Flashing 7/12 - 12/12    |
| 5RVFF       | 5" RV Flat Flashing                       |
| 5RVSC       | 5" RV Storm Collar                        |
| 5RVDHC      | 5" RV Draft Hood Connector                |
| 5RVREVDH    | 5" RV Reverse Draft Hood Connector        |
| 5RVRT       | 5" RV Round Top                           |
| 5RVHWT      | 5" RV High Wind Top                       |
| 5RVSP       | 5" RV Support Plate c/w Band              |
| 5RVFS       | 5" RV Firestop Spacer                     |
| 5RVWT       | 5" RV Wall Thimble                        |
| 5RVWSB      | 5" RV Wall Support Band                   |
| 5RVAIS      | 5" RV Attic Insulation Shield             |
| 5RVBT1      | 5" RV Single Wall Tee c/w Draft Hood Conn |

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM

INLAND METAL



## TYPE "B" GAS-VENT CHIMNEY

### 6" RV

| <u>Code</u> | <u>Description</u>                        |
|-------------|---|
| 6RV60       | 6" RV 60" Length                          |
| 6RV36       | 6" RV 36" Length                          |
| 6RV24       | 6" RV 24" Length                          |
| 6RV18       | 6" RV 18" Length                          |
| 6RV12       | 6" RV 12" Length                          |
| 6RV6        | 6" RV 6" Length                           |
| 6RV18ADJ    | 6" RV 18" Adjustable Length               |
| 6RV12ADJ    | 6" RV 12" Adjustable Length               |
| 6RV90EL     | 6" RV 90° Adjustable Elbow                |
| 6RV45EL     | 6" RV 45/60° Adjustable Elbow             |
| 6RVT        | 6" RV Double Wall Tee                     |
| 6RVTC       | 6" RV Tee Cap                             |
| 6RVAF       | 6" RV Adjustable Flashing 1/12 - 6/12     |
| 6RVAF712    | 6" RV Adjustable Flashing 7/12 - 12/12    |
| 6RVFF       | 6" RV Flat Flashing                       |
| 6RVSC       | 6" RV Storm Collar                        |
| 6RVDHC      | 6" RV Draft Hood Connector                |
| 6RVRT       | 6" RV Round Top                           |
| 6RVHWT      | 6" RV High Wind Top                       |
| 6RVSP       | 6" RV Support Plate c/w Band              |
| 6RVFS       | 6" RV Firestop Spacer                     |
| 6RVWT       | 6" RV Wall Thimble                        |
| 6RVWSB      | 6" RV Wall Support Band                   |
| 6RV17       | 6" RV Increaser 6" to 7"                  |
| 6RVI18      | 6" RV Increaser 6" to 8"                  |
| 6RVAIS      | 6" RV Attic Insulation Shield             |
| 6RVBT1      | 6" RV Single Wall Tee c/w Draft Hood Conn |



## TYPE "B" GAS-VENT CHIMNEY 7" RV

| <u>Code</u> | <u>Description</u>                     |
|-------------|--|
| 7RV60       | 7" RV 60" Length                       |
| 7RV36       | 7" RV 36" Length                       |
| 7RV24       | 7" RV 24" Length                       |
| 7RV18       | 7" RV 18" Length                       |
| 7RV12       | 7" RV 12" Length                       |
| 7RV12ADJ    | 7" RV 12" Adjustable Length            |
| 7RV90EL     | 7" RV 90° Adjustable Elbow             |
| 7RV45EL     | 7" RV 45/60° Adjustable Elbow          |
| 7RVT        | 7" RV Double Wall Tee                  |
| 7RVTC       | 7" RV Tee Cap                          |
| 7RVAF       | 7" RV Adjustable Flashing 1/12 - 6/12  |
| 7RVAF712    | 7" RV Adjustable Flashing 7/12 - 12/12 |
| 7RVFF       | 7" RV Flat Flashing                    |
| 7RVSC       | 7" RV Storm Collar                     |
| 7RVDHC      | 7" RV Draft Hood Connector             |
| 7RVRT       | 7" RV Round Top                        |
| 7RVSP       | 7" RV Support Plate c/w Band           |
| 7RVFS       | 7" RV Firestop Spacer                  |
| 7RVWSB      | 7" RV Wall Support Band                |
| 7RVAIS      | 7" RV Attic Insulation Shield          |

**NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM**



## TYPE "B" GAS-VENT CHIMNEY

### 8" RV

| <u>Code</u> | <u>Description</u>                     |
|-------------|--|
| 8RV60       | 8" RV 60" Length                       |
| 8RV36       | 8" RV 36" Length                       |
| 8RV18       | 8" RV 18" Length                       |
| 8RV12       | 8" RV 12" Length                       |
| 8RV12ADJ    | 8" RV 12" Adjustable Length            |
| 8RV90EL     | 8" RV 90° Adjustable Elbow             |
| 8RV12EL     | 8" RV 45/60° Adjustable Elbow          |
| 8RVT        | 8" RV Double Wall Tee                  |
| 8RVTC       | 8" RV Tee Cap                          |
| 8RVAF       | 8" RV Adjustable Flashing 1/12 - 6/12  |
| 8RVAF712    | 8" RV Adjustable Flashing 7/12 - 12/12 |
| 8RVFF       | 8" RV Flat Flashing                    |
| 8RVSC       | 8" RV Storm Collar                     |
| 8RVDHC      | 8" RV Draft Hood Connector             |
| 8RVRT       | 8" RV Round Top                        |
| 8RVSP       | 8" RV Support Plate c/w Band           |
| 8RVFS       | 8" RV Firestop Spacer                  |
| 8RVWSB      | 8" RV Wall Support Band                |
| 8RVAIS      | 8" RV Attic Insulation Shield          |

**NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM**



## TYPE "B" GAS VENT CHIMNEY COMMERCIAL

| <u>Code</u> | <u>Description</u>   | <u>10"</u> | <u>12"</u> | <u>14"</u> |
|-------------|----------------------|------------|------------|------------|
| R3-S        | 36" Length           |            |            |            |
| R24-S       | 24" Length           |            |            |            |
| R18-S       | 18" Length           |            |            |            |
| R12-S       | 12" Length           |            |            |            |
| R18AS       | 18" ADJ Length       |            |            |            |
| R45-S       | 45° Elbow            |            |            |            |
| RT-S        | Tee                  |            |            |            |
| RTG-S       | Tee Cap              |            |            |            |
| RDC-S       | Draft Hood Connector |            |            |            |
| RVC-S       | Vent Collar          |            |            |            |
| C-S         | Rain Cap             |            |            |            |
| RSC-S       | Storm Collar         |            |            |            |
| RF-S        | Adj. Flashing        |            |            |            |
| RFT-S       | Flat Flashing        |            |            |            |
| RSP-S       | Support Plate        |            |            |            |

**NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM**

**: FOR PRICING ON 16" TO 30" PLEASE CALL**



## TYPE "B" GAS VENT CHIMNEY COMMERCIAL

| <u>Code</u> | <u>Description</u>   | <u>16"</u> | <u>18"</u> | <u>20"</u> |
|-------------|----------------------|------------|------------|------------|
| R3-S        | 36" Length           |            |            |            |
| R24-S       | 24" Length           |            |            |            |
| R18-S       | 18" Length           |            |            |            |
| R12-S       | 12" Length           |            |            |            |
| R18AS       | 18" ADJ Length       |            |            |            |
| R45-S       | 45° Elbow            |            |            |            |
| RT-S        | Tee                  |            |            |            |
| RTG-S       | Tee Cap              |            |            |            |
| RDC-S       | Draft Hood Connector |            |            |            |
| C-S         | Rain Cap             |            |            |            |
| RSC-S       | Storm Collar         |            |            |            |
| RF-S        | Adj. Flashing        |            |            |            |
| RFT-S       | Flat Flashing        |            |            |            |
| RSP-S       | Support Plate        |            |            |            |

**NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM**

**: FOR PRICING ON 16" TO 30" PLEASE CALL**